

SOWA[®]

METALWORKING SOLUTIONS



Canadians Supporting Canadians



Pricing valid from October 1 to December 31, 2013



INDEXABLE TURNING KITS

MCLNR

1 - MCLNR 16-4D
10 - CNMG432-M PT20C
For medium cutting of Steel

Code No.: 149-806

Price: **\$122.40**



MDJNR

1 - MDJNR 16-4D
10 - DNMG432-M PT20C
For medium cutting of Steel

Code No.: 149-813

Price: **\$136.50**



MTGNR

1 - MTGNR 16-4D
10 - TNMG432-M PT20C
For medium cutting of Steel

Code No.: 149-824

Price: **\$137.50**




MTJNR

1 - MTJNR 16-4D
10 - TNMG432-M PT20C
For medium cutting of Steel

Code No.: 149-823

Price: **\$179.80**



Effective Oct. 16, 2013 prices in the Sowa Metalworking Solutions Catalogue ST0312 are for reference only. Call in or download the updated catalogue for current prices.

215PC TABLE TOP DRILL SET



\$569⁰⁰
NET

Empty case also available.

Code# 113-843

Price: **\$68.00**

Code # 500-731

List \$841.50

New Product!



Drills made in the USA

**118° General Purpose HSS
Jobbers Length Drills
1/16" - 1/2" by 64ths**

10 Drills ea.

• 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 11/64, 3/16, 13/64, 7/32, 15/64, 1/4, 17/64

5 Drills ea.

• 9/32, 19/64, 5/16, 21/64, 11/32, 23/64, 3/8, 25/64, 13/32, 27/64, 7/16, 29/64, 15/32, 31/64, 1/2

****Limited Time Offer / While Quantities Last**

Distributed by:



POCKET REFERENCE BOOK 4TH EDITION

Information for do-it-yourselfers, engineers, craftsmen, students, teachers, managers, maintenance & industrial personnel, and travelers. The ultimate reference and problem solver. The uses for this book are endless! 864 pages of valuable information in an easy to use pocket reference book. 3.2" x 5.4" x 0.8"

- Automotive
- Steels & Metals
- Electrical
- Tools
- Weights & Properties of materials
- Geology
- Math
- Welding
- Conversion tables
- and much more



Code No.: 180-175

\$17.25

List: \$19.99



COLLET RACK

- Holds 5C, C32, or OZ25 collets
- 220x110x6mm
- Plastic




Model	Code No.	Price \$
VMS-5	325-305	19.00

* Collets not included



COOLANT PROOF DIGITAL CALIPERS

- Features:
- IP67 Coolant Proof
 - Inch/Metric conversion
 - Absolute or incremental modes
 - Hold function for easy reading



Save 30%

Range	Resolution	Accuracy	Code No.	SALE \$
0-6"/150mm	.0005"/0.01mm	±.001"/0.02mm	7305062	202.23
0-8"/200mm	.0005"/0.01mm	±.001"/0.02mm	7305082	245.00



PRECISION SQUARE LEVELS

- ±0.02mm accuracy

New Product!

Save 15%



Model	Dimensions (mm)	Weight (kg)	Code No.	SALE \$
VSL-200	200x200x40	3.8	230-370	1,319.80
VSL-250	250x250x40	5.8	230-375	1,684.53



12" HACKSAW FRAME

New Product!

A rugged heavy-duty industrial quality hacksaw designed for the professional.

- Strong aluminum die cast handle
- Guarded grip design
- Comes complete with a 12" chrome steel hacksaw blade



Save 25%

Model	O.A.L.	Bow Depth	Code No.	SALE \$
HF/12/BC	17-5/16"	4"	231-370	13.43



OUTSIDE MICROMETER SETS

Features:

- Locking clamp
- Carbide faces
- Satin chrome finish

Save 30%



Range	Graduation	Code No.	SALE \$
0-3" (3 pc set)	.0001"	7101637	119.00
0-6" (6 pc set)	.0001"	7101667	275.03



0-8" DIAL CALIPER

Features:

- .100" Range Per Rev.
- Hardened Stainless Steel



Save 30%

Range	Resolution	Accuracy	Code No.	SALE \$
0-8"	.001"	±.0015"	7303081	76.02



0-6"/150MM DIGITAL CALIPER

Features:

- Large LCD readout
- Inch/Metric conversion



Save 30%

Range	Resolution	Accuracy	Code No.	SALE \$
0-6"/150mm	.0005"/0.01mm	±.001"	7307061	56.21



3-WAY ANGLE MILLING VISE

- Operation is smooth and easy
- Swivel base is scaled in 360°
- Each base can be fixed by four special bolts
- Precision angle setting is scaled in all directions
- Moveable part touches the bore in V-shape and is adjustable
- Upper angle setting base can incline from the horizontal position to the vertical position

Save 30%



Model	Jaw Width	Jaw Opening	Jaw Height	Weight	Code No.	SALE \$
KAV-125	132mm	140mm	40mm	50kg	326-104	694.54



200MM MAGNETIC PLATE

- 7mm poles, 2mm separators
- Magnetic field intensity: > 650 gauss
- Suitable for light cutting and grinding on lathe, grinder, EDM, and rotary tables

Save 20%



New Product!

Model	Diameter	Height	Code No.	SALE \$
VGD-08	200mm	78mm	230-626	1,084.56



15PC 5C COLLET SET

- Made of tool steel, hardened and ground to maintain original accuracy
- 15 pcs

**Save
25%**



Size	Code No.	SALE \$
1/8" - 1"	325-310	117.15



FLEX STEM MAGNETIC BASE

- Made in Taiwan



Model	Code No.	SALE \$
BA-1X	225-003	76.25



DIGITAL BORE GAUGES

Features:

- Resolution: .00005"
- Dynamic carbide contact point
- Analog sweep display to determine minimum reading
- .24-.4" with fixed anvils
- .4-.7" with plate guide and fixed anvils
- .7-1.5" with canister and fixed anvils
- 1.4-2.4" with wheel guide and inserting anvils



**Save
30%**

Range	No. Anvils	No. Spacers	Probe Depth	Code No.	SALE \$
.24" - .4"	9	-	2"	7485111	330.40
.4" - .7"	9	1	4"	7485121	317.87
.7" - 1.5"	9	2	4"	7485211	315.98
1.4" - 2.4"	4	4	6"	7485221	303.45



.03" HORIZONTAL DIAL TEST INDICATOR

- Jewelled bearings
- Comes with 3/8" and 8mm dovetail stems
- Easy to read yellow face



**Save
30%**

Range	Graduation	Reading	Accuracy	Code No.	SALE \$
0-0.03"	.0005"	0-15-0	±.0005"	7501731	63.98



PRECISION INSPECTION GAUGE BALL SET

New Product!

Features:

- Meets all grade 25 AFBMA standards
- Chrome alloy steel, hardened to 63 HRC
- Surface finish to 1.5 micro-inches
- ±0.0001" size accuracy
- ±0.000025" spherical accuracy
- 32 pairs



**Save
15%**

Size	Code No.	SALE \$
1/32" - 1"	7679901	78.16




T-SLOT CLAMP SETS

New Product!

- 1 set consists of 4 vises
- For thin or small workpieces
- Good clamping force
- Quick setting
- Suitable for light duty cutting on milling, drilling, or EDM machines

**Save
20%**



Model	A	B	C	D	E	Code No.	SALE \$
CK-3712	11.5	18	7	16	42	333-920	84.48
CK-3714	13.5	22	8	18	42	333-922	90.88
CK-3716	15.5	25	10	20	45	333-924	100.40
CK-3718	17.5	28	11	24	45	333-926	117.36
CK-3720	19.5	32	12	26	53	333-928	143.76



END MILL SHEATH RACK

New Product!

- ABS plastic
- 62 sheaths

**Save
20%**



Model	Size Range (mm)	Dimensions	Code No.	SALE \$
VMS-2	Ø6-Ø42	205x205x80	326-545	17.20



5 DRAWER ROLLER CABINET

New Product!

- Ball bearing slides with Quick Disconnect
- Heavy duty 4"x1" casters
- Double wall construction
- Electro-powder coating to resist scratches and solvents
- 100mm top mat

**Save
20%**



Model	Dimensions (mm)	Weight (kg)	Code No.	SALE \$
VTC-23	570Wx345Dx650H	34	326-530	768.88



EDM TOOL MAKER VISE

New Product!

- Parallelism: ±0.002mm/100mm
- Stainless Steel
- Squareness: ±0.002mm/100mm

**Save
20%**



VSTV-100W

Model	Max Opening	Thickness	Jaw Depth	Weight (kg)	Code No.	SALE \$
VSTV-100W	100mm	24mm	50mm	4.9	230-842	932.40



8" DIAL CALIPER/ ENGINEERS BLACK BOOK COMBO

Contents:

- 8" .001" Stainless Steel Dial Caliper 200-584
- Engineers Black Book 180-155



Code No.	Special NET \$
500-135	87.50



CLICKSET™ TORQUE LIMITING SCREWDRIVERS

- Wide range of factory preset torque limiting handles - No adjustment needed
- When preset torque level is reached, the mechanism slips and makes an audible "click"
- Protects from overtightening
- Reduces fastener wear and stripping
- Reduces potential damage to carbide inserts
- Universal Star Tip for Star Plus and older style Star fasteners
- $\pm 10\%$ repeatability

NEW PRODUCT!



Replaceable blades snap into handle, simplifying blade replacement



The Bondhus ComfortGrip handle features a durable thermoplastic core wrapped in cushioned rubber for increased comfort and torque



Economical solution to an expensive problem



Torx Blade & Handle Sets

\$30.55 Each

- **Code No.: 619-453**
T5 blade + 4.4 in-lb handle #50004
- **Code No.: 619-454**
T6 blade + 5.3 in-lb handle #50005
- **Code No.: 619-450**
T7 blade + 8.0 in-lb handle #50008
- **Code No.: 619-451**
T8 blade + 10.6 in-lb handle #50010
- **Code No.: 619-455**
T9 blade + 12.4 in-lb handle #50012
- **Code No.: 619-456**
T10 blade + 22.1 in-lb handle #50017
- **Code No.: 619-452**
T15 blade + 31.0 in-lb handle #50026

Other sizes available.
Individual blades and handles available.
Hex sets also available.



RESIN FIBRE DISCS

Save 10%



Size	Grit	Code No.	SALE \$
4 x 5/8	24	520-102	1.17
4 x 5/8	36	520-104	1.08
4 x 5/8	50	520-106	1.08
4-1/2 x 7/8	36	520-118	1.17
4-1/2 x 7/8	80	520-122	0.99
4-1/2 x 7/8	100	520-124	0.99
5 x 7/8	16	520-128	1.62
5 x 7/8	24	520-130	1.26
5 x 7/8	36	520-132	1.26
7 x 7/8	16	520-142	2.88
7 x 7/8	24	520-144	2.25
7 x 7/8	36	520-146	2.07
7 x 7/8	50	520-148	1.98



USA MADE CHESTS AND CABINETS

MACHINISTS' CHEST MODEL 526

8 Drawer – Felt lined drawers and tool compartment.
Self storing drop front panel and rugged side handles
• 6 drawer dividers



Save 15%

Width (in)	Depth (in)	Height (in)	Weight (lb)	Colour	Code No.	SALE \$
26-3/4	8-1/2	13-5/8	36	Brown	609-602	411.91



DIAL BORE GAUGE SET

- Supplied with AGD2 Dial Indicator
- .0005" graduations
- Complete with fitted case



Range	Bore Depth	No. Anvils	Code No.	SALE \$
0.7" - 1.4"	4"	8	200-652	103.36



5 PC TIN COATED COBALT METRIC COUNTERSINK SET

- M35 Cobalt
- Wide flutes provide good chip evacuation
- Positive cut
- Constant profile aids regrinding of the tool
- Self-centering of the cutting mill (three bearing points)
- Virtually eliminates vibration



Made In France



Description	Code No.	Special NET \$
TiN Coated sets include 10.4mm, 16.5mm, 20.5mm, 25mm, 31mm		
82°	121-870	279.40



5PC X-LONG PIN PUNCH SET

- Single piece construction with hexagonal shank
- Premium powder coated finish



Description	Code No.	SALE \$
1/8, 3/16, 1/4, 5/16, 3/8	606-650	41.31

ASIMETO
VALUE+

0-1" INDICATOR / MAG BASE KIT

Kit contains:

- 7602031 (Type III triple jointed magnetic base)
- 7402261 (0-1" .001" AGD2 dial indicator)

\$98.00

Promo Code: 500-730

Regular List: \$137.30



ASIMETO
VALUE+

SURFACE PLATE CLEANER

**Save
15%**

Features:

- An exclusive formulation that is extremely effective for the cleaning and care of granite surface plates
- Works quickly and effectively, leaves no residue on the granite.

New Product!



Description	Code No.	SALE \$
Pint	7607510	5.87
Pint Spray Bottle	7607520	7.77
Quart	7607530	11.00
1/2 Gallon	7607540	16.57
Gallon	7607550	21.02
5 Gallon	7607560	65.01



ASIMETO
VALUE+

MAGNETIC BASE PROTRACTOR

Features:

- 2-3/8" dial face has machine divided graduations to 1° in four 90° quadrants.
- Maximum V-Opening: 3-3/16"
- Overall length of legs: 4-13/16"

**Save
30%**



Accuracy	Code No.	SALE \$
±3 minutes	7607270	144.50

ASIMETO
VALUE+

0-1" DIGITAL INDICATOR

Features:

- Tolerance measurement feature
- Inch/Metric conversion
- SR44 battery

**Save
30%**



Range	Resolution	Accuracy	Notes	Code No.	SALE \$
0-1" /	.0005" /	±.0012" /	Flat Back (attached)	7405011	99.47
0-25mm	0.01mm	±0.03mm	and Lug Back supplied		

STM

ALUMINUM PIE JAWS 1.5MM X 60°

- Made with 319 Cast Aluminum



Chuck Dia.	Model	Height	Bolt Size	Weight (lb)	Code No.	Price \$
8"	KTT8P	2"	12mm	10.2	658-242	138.20
8"	KTT8P1	4"	12mm	19.8	658-244	240.60
10"	KTT10P	2"	12mm	16.2	658-250	235.50
10"	KTT10P1	4"	12mm	31.5	658-252	368.60

STM

SPINDLE TAPER WIPER

Features:

- For easily and quickly cleaning spindle holes.
- Plastic body, the taper wiper is made of special cotton material therefore not damaging the spindle.
- The BT & DIN tapers are the same.

**Save
30%**



Model	Taper	Total Length	Code No.	SALE \$
VTW-50	#50	265mm	326-220	27.93

STM

BEVEL EDGE SQUARE

- Accuracy Class H
- Hardened steel squares
- Accurate right angles both inside and outside
- Blades are beveled on both edges of each side
- Made from seasoned tool steel
- Beams and blades are ground and accurately lapped for straightness and parallelism



Blade Size	Beam	Code No.	SALE \$
7-7/8"	5"	230-360	43.85

ASIMETO
VALUE+

LARGE DISPLAY CALIPERS

Features:

- Extra large (5/8") LCD readout
- Inch/Metric conversion
- Automatic Off feature extends battery life
- Automatic On feature is activated by moving slider. The origin position is retained through the off/on cycle

**Save
30%**




Range	Resolution	Accuracy	Code No.	SALE \$
0-6"/0-150mm	.0005"/0.01mm	±.001"	7306060	60.90
0-8"/0-200mm	.0005"/0.01mm	±.0015"	7306080	100.66
0-12"/0-300mm	.0005"/0.01mm	±.0015"	7306120	169.47

*While quantities last



SKODA HEAVY DUTY BULL NOSE LIVE CENTRE

**Save
15%**



- Accuracy: ±0.0001"
- Designed to hold pipe and hollow work

Morse Taper	a	D (in)	d (in.)	L (in.)	I (in.)	Load (lb)	Weight (lb)	Code No.	SALE \$
4	60°	4.527	1.732	7.637	3.622	2860	9.68	310-145	847.79

**Save
15%****TOOL BOXES**

- ABS plastic
- VTB-102 has two levered trays
- VTB-901 has one removable tray



VTB-102



VTB-901

Model	Dimensions (mm)	Code No.	SALE \$
VTB-102	420W x 235D x 180H	326-546	44.63
VTB-901	378W x 182D x 144H	326-547	17.34

**BUY ONE at regular list and
GET ONE FREE!!****TOOLMAKER VISE**


- Solid one piece body
- Square and parallel within 0.0002" and 0.0003"
- Angled centre channel provides extra jaw capacity



Model	Length	Width	Jaw Opening	Jaw Height	Code No.	Price \$
YCT-VB20	140mm	48mm	65mm	25mm	230-815	108.50

**BALL BEARING DRILL CHUCK**

- Bodies and jaws hardened and ground
- One piece gear/scroll ring eliminates loss of clamping torque
- Dependable and accurate performance
- Ease of operation
- Extended life

**Save
25%**

Rohm Id. Nr.	Capacity (in.)	Mount	Chuck Key	O.D. (in.)	Opened Length	Closed Length	Code No.	SALE \$
215000	1/32-1/2	JT3	S10	2.24	3.11"	3.86"	390-245	140.03

**80PC SAE GREASE FITTING
ASSORTMENT**

Contents:

- 1/8"-27 PTF - 25pcs straight, 10pcs 45°, 10pcs 90°
- 1/4"-28 SAE-LT - 15pcs straight, 10pcs 45°, 10pcs 90°

**Save
25%**

Model	Code No.	SALE \$
GFT/KIT/SAE-80	231-386	40.05

**PRECISION SINE VISE**

- Hardened to 58-62 HRC
- Dual .200" minute steps for setting small angles with standard gauge blocks are built into the gauge block roll



Model	Size (in.)	Code No.	SALE \$
YCT-SV25	3-1/2 x 2-1/2	230-705	187.00

**KORLOY****3MM SAW-MAN
PART-OFF KITS****\$173.95 ea.****1" Blade - Code # 2111558**

20- SP300 NC3030 inserts reg. \$13.50 ea.

1- SPB326-S 1" blade reg. \$172.30

1- SW15S wrench reg. \$25.00

1-1/4" Blade - Code # 2111551

20- SP300 NC3030 inserts reg. \$13.50 ea.


1- SPB332-S 1-1/4" blade reg. \$172.30

1- SW15S wrench reg. \$25.00

**24" HEIGHT GAUGE &
SURFACE PLATE COMBO****Code # 500-729****\$858.90**

- 0-24"/600mm
- Resolution: .0005"/0.01mm
- Fine adjustment

- 24" x 36" x 4" No Ledge
- Grade B - Tool Room
- Made of highest quality black granite
- 475 lbs

Code # 7625240
List \$730.80**Code # 255-115**
List \$497.60**REGULAR LENGTH HSCO
ROUGHING END MILLS**

- Non-Centre cutting
- Weldon shank
- Coarse pitch

**Save
50%****CLEARANCE**


- End tooth of this tool has a centre hole design for many accurate resharpenings



Cutting Diameter	Shank Diameter	Flute Length	Overall Length	No. Flutes	Code No.	SALE \$
2"	2"	2"	5-3/4"	8	103-913	154.05
2"	2"	3"	6-3/4"	8	103-914	165.40

TAILIN**REINFORCED DEPRESSED
CENTRE DISCS FOR STEEL****A. (Type 27)**

- Approved by CNS standard No. 2551
- German DSA standard No. 2335

**Save
25%**

Dimensions	Specification	RPM	Code No.	SALE \$
4 x 1/8 x 5/8	A24S2G	15300	635-602	1.13
4 x 1/4 x 5/8	A24R2G	15300	635-604	1.28
4 x 1/4 x 5/8	A24S2G	15300	635-606	1.28
4-1/2 x 1/4 x 7/8	A24S2G	13300	635-612	1.80
5 x 1/8 x 7/8	A24R2G	12200	635-618	1.95
5 x 1/4 x 7/8	A24R2G	12200	635-620	2.25
5 x 1/4 x 7/8	A24S2G	12200	635-621	2.25
7 x 1/8 x 7/8	A24S2G	8500	635-624	2.70
7 x 1/4 x 7/8	A24S2.5G	8500	635-629	3.23



INDEXABLE CHAMFER TOOL KITS

Consists of:

- 1 - CT 45° Chamfer Tool
- 10- TCMT or TCGT Inserts



Kit Contents	Insert	Kit Code	Price \$
1/8-5/8" Chamfer Tool 1 Flute (147-113)	c/w 10 inserts (146-501)	TCMT 21.51 Inserts (Coated)	149-853 210.70
1/8-5/8" Chamfer Tool 1 Flute (147-113)	c/w 10 inserts (146-506)	TCGT 21.52 Inserts For Aluminum	149-854 170.60
15/32-1-1/8" Chamfer Tool 2 Flute (147-112)	c/w 10 inserts (146-522)	TCMT 32.52 Inserts (Coated)	149-855 222.20
15/32-1-1/8" Chamfer Tool 2 Flute (147-112)	c/w 10 inserts (146-508)	TCGT 32.52 Inserts For Aluminum	149-856 257.90



RIGHT ANGLE HEADS VRA-TYPE

- Suitable for heavy duty cutting

**Save
30%**






Milling Head	Quill Dia.	Weight	Model No.	Code No.	SALE \$
	85.725 - 86mm	12 kg	VRA-R8	326-200	805.00
	100.105 - 110.115mm	20 kg	VRA-NT 40	326-204	1,140.72



ADJUSTABLE SWIVEL ANGLE PLATE

- Mainly used for precise angle finishing, suitable for wide purposes
- Bolt lock style



****4 ONLY****

Model No.	A	a	B	C	D	H	T Groove Number	Code No.	Special NET \$
CL-1	252	180	125	55	14	115	3	326-126	465.00



27PC LETTER STAMP SETS

Manufactured from high quality steel, punches are through induction hardened, which gives durability and extended life even after repeated use.



Description	Stamp Size	Code No.	SPECIAL NET \$
27pc, A - Z, plus "&" stamp	1/8"	606-615	29.58
	3/16"	606-620	42.25
	1/4"	606-625	53.04




3-12MM TAP & DIE SET

**Save
30%**

29 piece set consists of the following:

- 3, 4, 6, 8, 10, 12mm taps (Taper, Plug, Bottom)
- 3, 4, 6, 8, 10, 12mm dies
- 1 bar type, 1 ratchet type tap wrench
- 1 die stock, 1 screw pitch gauge, 1 screwdriver



Description	Code No.	SALE \$
3-12mm, 3 taps per size	113-600	188.93






ADJUSTABLE COOLANT HOSE SYSTEM

Length and angle can be freely adjusted, suitable for most fluids (liquids and gases), hose orifice can be changed as needed. Can be used for air or for water/oil supply to metal processing machinery

- Made of Dupont 100P material; this highly rigid yet resilient acetal (POM) is strongly resistant to oils and chemicals
- Adjustable Coolant Hose is highly pliable; it holds its shape well and will not spring back
- Bending hose will not reduce inner diameter; hose will not pinch or fatigue
- Adjustable Coolant Hose will not damage cutting blades if there is accidental contact
- Adjustable Coolant Hose does not conduct electricity and is suitable for use on electrical discharge EDM machines
- Four sizes of inner diameter are available: 1/4", 3/8", 1/2", 3/4"
- Adjustable Coolant Hose is designed for the transport of low-pressure fluids

For the full range of products see page I19- I24 of the Sowa Metalworking Solutions Catalogue





45° MAX MILL KITS


Consists of:

- 1 - MM 45° Face Mill
- 10 - SEXT 14M4 PM25C Inserts (Coated)
- For high speed milling of Steel and Stainless Steel




- Excellent general purpose geometry

Cutter	Inserts	Code No.	SALE \$
2-1/2" 4-flute (147-812)	SEXT 14M4 AGSN PM25C (147-730)	149-934	258.00
3" 5-flute (147-813)	SEXT 14M4 AGSN PM25C (147-730)	149-936	333.00



Ø2.500"



Ø3.000"

Specifications:

Model	Code No.	ØD	Ød	ØD2	Ød1	Ød2	a	b	E	F
4250FM	147-812	2.500	0.750	1.654	0.433	0.706	0.321	0.181	0.787	1.575
4300FM	147-813	3.000	1.000	1.969	0.551	0.787	0.384	0.248	0.866	1.969




8" DIGITAL CALIPER/29PC BLACK-GOLD DRILL SET COMBO

Code No. 7307081
Reg. list \$137.60

Features:

- 0-8"/0-200mm
- Resolution .0005"/0.01mm
- Large LCD readout
- Inch/Metric conversion



Code No. 901-314
Reg. list \$99.30

Promo Code: 500-254

\$136.00

- 29pc 1/16" - 1/2" by 64ths
- High Speed Steel
- Black & Gold
- 135° split points



1" AGD2 DIAL INDICATOR




- Reverse counter
- Stainless Steel components
- Lugback (1/4" hole)
- Interchangeable point
- Conforms to AGD2 standards

Range	Reading	Grad. (in.)	Code No.	SALE \$
1"	0-100	.001"	200-720	17.09



9" X 12" SURFACE PLATE



- No ledge
- Grade B - Tool Room
- Made of highest quality black granite
- 40 lbs

Size	Thickness	Code No.	SALE \$
9" x 12"	3"	255-100	37.59



OUR MOST POPULAR NOGA DEBURRING BLADES

S10 • For steel and aluminum

Code No.: 165-024

SALE PRICE: **\$1.62**



S20 • For brass and cast iron • Left and right hand

Code No.: 165-026


SALE PRICE: **\$1.87**



S100 • For plastics and hard materials

Code No.: 165-053

SALE PRICE: **\$2.21**



S150 • HD shank for holes down to 1.5mm dia.

Code No.: 165-059

SALE PRICE: **\$1.96**



B10 • For steel, plastic, and aluminum

Code No.: 165-320

SALE PRICE: **\$1.36**



N1 • For steel, plastic, and aluminum

Code No.: 165-036

SALE PRICE: **\$1.36**



N2 • For brass and cast iron

Code No.: 165-038

SALE PRICE: **\$1.36**



Pricing valid from October 1 to December 31, 2013 or while quantities last.



Sowa Tool & Machine Co. Ltd.
500 Manitou Drive
Kitchener, Ontario
N2C 1L3

Western Canada Branch
9649-49th Ave
Edmonton, AB
T6E 5Z5

Toll Free: 1-800-265-8221
Phone: (519) 748-5750
Fax: (519) 748-9304
Email: sales@sowatool.com
web: www.sowatool.com



★ C A D I S 2 4 ★

Printed in Canada